
Big South Fork

A Checklist of Birds



Big South Fork

National River & Recreation Area

Big South Fork

The Big South Fork National River and Recreation Area is comprised of an area of about 125,000 acres located in McCreary county, Kentucky, and Fentress, Morgan, Pickett, and Scott counties, Tennessee. It was established in 1974 to provide protection for the watershed of the Big South Fork of the Cumberland River and the many fine natural features found nearby.

About 160 species of birds have been recorded within the Big South Fork NRRA during the past two decades. Prior to the establishment of the National Area, some species of birds occurred within its present-day boundaries or nearby, but they have not been recorded since. The following species may one day be recorded in the area again, but they are not expected at this time:

Golden Eagle
Peregrine Falcon
Red-cockaded Woodpecker
Common Raven
Bewick's Wren

The National Area is especially rich as a haven for species of Neotropical migrant birds. Neotropical migrants, indicated by **boldfacing** in the checklist, are species that breed in North America and then migrate to the tropical regions of Central and South America to spend the northern winter. Some birds may be termed partial Neotropical migrants; that is, a portion of their population migrates to the tropics for the winter, but a large fraction winters in the southern parts of North America. Partial Neotropical migrants are indicated by *italics* in the checklist.

Some species of Neotropical migrants are currently undergoing population declines throughout their ranges as a result of the effects of forest fragmentation and clearcutting. Protecting large tracts of mature forest may be the best means of ensuring the survival of these species.

If you encounter species of birds not on the park checklist, please send information about when and where you noted them to the Park Headquarters (Attn: Chief of Resource Management, BSFNRRA, 4564 Leatherwood Road, Oneida, TN 37841).

Status Codes

PR	Permanent Resident
SR	Summer Resident
WR	Winter Resident
Tr	Transient

Tr Transient
Vi Visitor (no pattern to occurrence)

Asterisks indicate confirmed (**) and highly probable (*) breeding in the area.

Habitat Obligates and Generalists

Some species breeding in or migrating through the Big South Fork are often habitat obligates, that is, their occurrence is often restricted to certain habitats found within the area, while other species are habitat generalists and may be found in a wide variety of habitats within the area. The following codes are used to indicate the preferences of species with habitat restrictions:

- G Largely confined to the **gorge** of the Big South Fork and its tributaries.
- A Usually associated with **aquatic** habitats, such as rivers, lakes and ponds.
- P Usually associated with upland **pine** forests.
- O Usually associated with **open** habitats, such as old fields, pastures, homesteads, and recently developed areas

Seasons of Occurrence

Sp	Spring (March-May)
Su	Summer (June-July)
Fa	Fall (August-November)
Wi	Winter (December-February)

Abundance Codes

- a Abundant (26+ likely to be seen/heard in appropriate habitat in one day)
- Common (11-25 likely to be seen/ heard in appropriate habitat in one day)
- fc Fairly Common (3-10 likely to be seen/ heard in appropriate habitat in one day)
- u Uncommon (1-2 likely to be seen/ heard in appropriate habitat in one day)
- vu Very uncommon (1 to 5 records during a season likely)
- r Rare (only 1-3 records ever made)

Field Information											
The following space is provided for those wishing to keep a record of their Big South Fork birding experience.											
Date Time Afield											
Observer(s)											
Sky/Wind/Temp Total # Species											
Places Visited											
Notes											

Species	Status	Hab.	Sp	Su	F	W
☐Common Loon	Vi	Α	r			
☐Pied-billed Grebe	Vi	Α	vu		vu	r
☐Great Blue Heron	PR	Α	u	u	u	vu
☐Green Heron	SR*	Α	vu	vu	vu	
☐Canada Goose	PR	Α	vu	vu	vu	vu
☐Wood Duck	SR*	Α	u	u	u	
□Mallard	Vi	Α	vu		vu	vu
☐Blue-winged Teal	Tr	Α	vu		vu	
□Northern Shoveler	Tr	Α	vu		vu	
☐Black Vulture	PR		u	u	u	u
☐Turkey Vulture	PR		fc	fc	fc	fc
□Osprey	Tr	Α	vu		vu	
☐Bald Eagle	Vi	G				vu
□Northern Harrier	WR	0	vu		vu	vu
Sharp-shinned Hawk	PR**	· P	vu	vu	vu	vu
 Cooper's Hawk	PR		vu	vu	vu	vu
☐Red-shouldered Hawk	PR**	· A	u	u	u	u
☐Broad-winged Hawk	SR*		u	u	u	
Red-tailed Hawk	PR*		u	u	u	u
☐American Kestrel	PR	0	vu	vu	vu	vu
☐Ruffed Grouse	PR**	r	u	u	u	u
─Wild Turkey	PR**		u	u	u	u
 □Northern Bobwhite	PR	0	vu	vu	vu	vu
Sandhill Crane	Tr		vu		vu	
□Killdeer	PR*	0	u	u	u	u
Solitary Sandpiper	Tr	Α	vu		vu	
☐Spotted Sandpiper	Tr	Α	vu		vu	
☐Common Snipe	WR	Α	vu		vu	vu
☐American Woodcock	PR**	ŧ	vu	vu	vu	vu
□Rock Dove	PR*		vu	vu	vu	vu
☐Mourning Dove	PR*		u	u	u	u
Black-billed Cuckoo	Tr		vu		vu	
Yellow-billed Cuckoo	SR*		u	u	u	
☐Eastern Screech-Owl	PR*		u	u	u	u
Great Horned Owl	PR*		u	u	u	u
☐Barred Owl	PR*	G	u	u	u	u
☐Common Nighthawk	Tr		vu		vu	
□Whin maar will	CD*		£ _			

SR*

fc fc

□Whip-poor-will

Species	Status	Hab.	Sp	Su	F	W	
☐Chimney Swift	SR*		u	u	u		
☐Ruby-thr. Hummingbii	rd SR*		u	u	u		
☐Belted Kingfisher	PR*	Α	u	u	u	u	
☐Red-headed Woodpeck	er PR		vu	vu	vu	vu	
☐Red-bellied Woodpecke	er PR*		u	u	u	u	
☐Yellow-bellied Sapsucke	er WR		u		u	u	
□Downy Woodpecker	PR*		u	u	u	u	
☐Hairy Woodpecker	PR*		fc	fc	fc	fc	
□Northern Flicker	PR*		u	u	u	u	
☐Pileated Woodpecker	PR*		fc	fc	fc	fc	
□Olive-sided Flycatche	r Tr			vu		vu	
☐ Eastern Wood-Pewee	SR*		u	u	u		
☐Acadian Flycatcher	SR*	* G	fc	fc	fc		
☐Least Flycatcher	Tr		vu		vu		
□Eastern Phoebe	PR*	Α	u	u	u	vu	



	☐Great Cr. Flycatcher	SR*		u	u	u	
	☐Eastern Kingbird	SR*	0	fc	fc	u	
ı	Purple Martin	SR		vu	vu	vu	
ı	☐Tree Swallow	Tr		vu		vu	
ı	☐N. Rough-winged Swallow	SR*	Α	и	и	и	
ı	⊟Bank Swallow	Tr		vu		vu	
	□Barn Swallow	SR**	0	u	u	u	
	⊟Blue Jay	PR*		fc	fc	fc	fc
	☐American Crow	PR*		fc	fc	fc	fc
ı	□Carolina Chickadee	PR*		С	С	С	С
	☐Tufted Titmouse	PR*		fc	fc	fc	fc
	☐Red-breasted Nuthatch	WR	Р	vu		vu	vu
ı	□White-breasted Nuthatch	PR*		fc	fc	fc	fc
	☐Brown Creeper	WR		u		u	u
	□Carolina Wren	PR*		u	u	u	u
	☐House Wren	Tr		vu		vu	
	□Winter Wren	WR	G	u		u	u
I	☐Golden-crowned Kinglet	WR	Р	С		С	С
I	☐Ruby-crowned Kinglet	WR		u		u	vu
I	☐Blue-gray Gnatcatcher	SR*		fc	fc	и	
	☐Eastern Bluebird	PR**	0	fc	fc	fc	fc
	□Veery	Tr		vu		vu	
	☐Gray-cheeked Thrush	Tr		vu		vu	
	☐Swainson's Thrush	Tr		u		u	
	☐Hermit Thrush	WR		u		u	u
	☐Wood Thrush	SR*	_	fc	fc	fc	
	□American Robin	PR*	0	fc	fc	u	u
	☐Gray Catbird	SR*		и	и	и	

National River and Recreation Area National Park Service U.S. Department of the Interior

■Worm-eating Warbler

■Northern Waterthrush

Swainson's Warbler

□ Ovenbird

SR**

SR* G

A vu

SR*

Tr

fc fc fc

u

a fc

vu

Species S	tatus	Hab.	Sp	Su	F	w	Species Sta	itus	Hab.	Sp	Su	F	w
☐Brown Thrasher	PR*	0	u	u	u	vu	Louisiana Waterthrush	SR*	G	u	u	u	
□ Northern Mockingbird	PR*	0	vu	vu	vu	vu	☐ Kentucky Warbler	SR*		u	u	u	
☐Cedar Waxwing	PR		u	u	u	u	☐ Common Yellowthroat	SR*		fc	fc	и	
☐Loggerhead Shrike	Vi	0	vu	vu	vu	vu	☐ Hooded Warbler	SR*		С	C	fc	
☐European Starling	PR*		u	u	u	u	Canada Warbler	Tr		vu		vu	
☐White-eyed Vireo	SR*	0	и	и	и		☐ Yellow-breasted Chat	SR*	0	u	u	u	
□Solitary Vireo	SR'	G/P	fc fc	fc	fc		Summer Tanager	SR*		vu	vu	vu	
☐Yellow-throated Vireo	SR*		u	u	u		☐ Scarlet Tanager	SR*		С	С	fc	
_Philadelphia Vireo	Tr		vu		vu		☐ Northern Cardinal	PR*		fc	fc	fc	fc
Red-eyed Vireo	SR*		а	а	С		☐ Rose-breasted Grosbeak	Tr		u		u	
□ Blue-winged Warbler □	Tr		u		vu		☐ Blue Grosbeak	Vi	0	vu	vu		
☐Golden-winged Warble			vu		vu		□ Indigo Bunting	SR*		С	С	fc	
☐Tennessee Warbler	Tr		u		u		☐ Rufous-sided Towhee	PR*		fc	fc	fc	u
□Orange-cr. Warbler	Tr		vu		vu		☐ Chipping Sparrow	SR*	0	fc	fc	fc	vu
□ Northern Parula □	SR*		fc	fc	fc		☐ Field Sparrow	PR*	0	u	u	u	u
☐Yellow Warbler	SR*	Α	u	u	vu		□ Vesper Sparrow	Vi	0				vu
☐Chestnut-sided Warble			u		u		☐ Savannah Sparrow	Vi	0				vu
	Tr		u		u		☐ Fox Sparrow	WR		vu		u	vu
☐Cape May Warbler	Tr		u		vu		☐ Song Sparrow	PR*		u	u	fc	fc
☐Black-thr. Blue Warbler	Tr		vu		vu		☐ Swamp Sparrow	WR		u		u	u
☐Yellow-rumped Warbler	WR		fc		fc	u	☐ White-throated Sparrow	WR		u		u	u
☐Black-thr. Green Warb.	SR*	G/P		С	С			WR		vu		vu	vu
☐Blackburnian Warbler	Tr		u	,	u		☐ Dark-eyed Junco	WR		fc		fc	fc
☐ Yellow-throated Warbler	SR'		fc	fc	fc		□ Bobolink	Vi	0	vu			
☐Pine Warbler	PR*		С	С	С	vu	☐ Red-winged Blackbird	SR*		fc	fc	fc	
☐ Prairie Warbler	SR*	0	u	u	u		☐ Eastern Meadowlark	PR*		fc	fc	fc	u
□ Palm Warbler	Tr		и		и		☐ Common Grackle	PR*		u	u	u	u
☐Bay-breasted Warbler	Tr		u		u		☐ Brown-headed Cowbird	SR*		u	u	u	
_							Orchard Oriole	SR*	0	u	u	vu	
14.2							☐ Northern Oriole	SR		vu	vu	vu	
		3					☐ Purple Finch	WR		vu		vu	vu
				Park	•		☐ House Finch	PR	_	vu	vu	vu	vu
							☐ Red Crossbill	Vi	Р				r
		7					☐ Pine Siskin	WR		vu		vu	vu
	S. 37	1					☐ American Goldfinch	PR*		u	u	u	u
	Service Marie						☐ Evening Grosbeak	WR		r			r
	ALC: UNIVERSAL PROPERTY.						☐ House Sparrow	PR*		u	u	u	u
American Goldfinch													
☐Blackpoll Warbler	Tr		vu										
☐ Cerulean Warbler	SR*	G	u	u	u								
☐ Black-and-white Warbler			fc	fc	fc								
☐American Redstart	SR*		u	u	u		Dr. Stephen J. Steo	lman	(Tei	nne	ssee	Te	ch-
☐Prothonotary Warbler	SR	Ğ	vu	vu	vu		nological University		•				
□Worm-eating Warbler	SD*	-	fc	fc	fc		Tiological Officersity	, 500	- NO V				555)

provided much of the information in the

preceding checklist.